Packaging Size: 1 rounded 1/8 teaspoon

Ratibida pinnata **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days
Ratibida pinnata **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days
Ratibida pinnata **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days
Ratibida pinnata **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days	*Ratibida pinnata* **Grey-headed Prairie Coneflower** Ratibida à feuilles pennées Full Sun to Part Shade Moisture: Medium 5.0' tall, 2.0' wide Bloom: Jun - Aug Sow by March Sow just below surface Stratify for 30 days